

**LEISTER**

PLASTIC WELDING

# GHIBLI AW

Robust and  
ergonomic



[www.leister.com](http://www.leister.com)

**We know how.**

# GHIBLI AW: Robust and ergonomic.

The GHIBLI AW is the robust and ergonomic heat gun used for shrink applications in cable manufacturing, heating and forming in the automobile industry, lap welding of truck sheeting and for deburring plastic parts. Thanks to the easy-to-grip, two-component frame, the GHIBLI AW fits perfectly in the hand. Temperature and air volume easily can be adjusted with the proven and intuitive "e-Drive" operating unit. The stand—included in the scope of delivery—

Heat gun

## GHIBLI AW

|   |   |   |   |
|---|---|---|---|
| 1 |    | <b>Stand:</b><br>Thanks to the included stand, the GHIBLI AW can be placed in an optimum position at the workstation, thus reducing fatigue.                                  | 1 |
| 2 |    | <b>Practical air filter:</b><br>Regular cleaning of the air filters ensures optimum air flow and maximum power.   | 2 |
| 3 |   | <b>Leister "e-Drive":</b><br>Temperature and air volume are easy to control and inspect—with the proven "e-Drive" operating unit—for reproducible results.                    | 3 |
| 4 |  | <b>Fatigue-free working:</b><br>Thanks to the integrated suspension lug, the GHIBLI AW can be suspended for fatigue-free work.  | 4 |
| 5 |  | <b>Compatible:</b><br>All of its predecessor's nozzles also fit on the GHIBLI AW. Comprehensive selection of compatible accessories.  | 5 |
| 6 |  | <b>Ergonomic handling:</b><br>The two-component handle, and the GHIBLI's perfect balance, ensure an optimal grip and comfortable work, even under the harshest of conditions. | 6 |



and the practical device suspension make working easier. The air filters can be readily removed and cleaned. And of course, all of the nozzles from its predecessor fit the new GHIBLI AW.



Shrink applications in cable manufacturing – ideal with the GHIBLI AW.

Heat gun

**GHIBLI AW**



- Ergonomic heat gun
- Digital temperature control
- Five-stage air volume control
- "e-Drive" operating unit for optimum process control
- 100% Swiss made

**Technical data**

|                        |        |                                 |
|------------------------|--------|---------------------------------|
| Voltage                | V~     | 120                             |
| Frequency              | Hz     | 50 / 60                         |
| Power                  | W      | 1800                            |
| Temperature            | °F     | 149 – 1148                      |
| Air volume (68°C)      | cfm    | 10.9 – 14.1 (24.7 at max. temp) |
| Pressure static        | Pa     | 1800 – 3200                     |
| Ø Nozzle holder        | inches | 1.5 (36.5 mm)                   |
| Emission               | dB(A)  | 67                              |
| Dimensions (L x W x H) | inches | 11 x 9 x 4, Handle Ø 2          |
| Weight                 | lbs    | 3 (without power cord)          |
| Conformity mark        |        | CE                              |
| Approval mark          |        | Ⓢ                               |
| Protection class II    |        | □                               |

**Article No.:**

148.078 GHIBLI AW, 120 V / 1800 W, US plug

Scope of delivery: GHIBLI AW, case, stand, operating Instructions


**Accessories for GHIBLI AW**

|  |                |   |
|--|----------------|---|
|  | <b>106.998</b> | Wide slot nozzle 0.8" (20 mm), push-fit   |
|  | <b>106.999</b> | Wide slot nozzle 1.6" (40 mm) inch push-fit   |
|  | <b>107.154</b> | Tubular nozzle Ø 0.2" (5 mm) push-fit   |
|  | <b>107.006</b> | Extension nozzle Ø 0.2 x 5" (5 x 130 mm), straight  |
|  | <b>107.308</b> | Sieve reflector 2 x 1.4 (50 x 35 mm)  |
|  | <b>107.309</b> | Sieve reflector 1.4 x .8" (35 x 20 mm)  |
|  | <b>107.313</b> | Spoon reflector 1 x 1.2" (25 x 30 mm), with screw connector                               |
|  | <b>107.314</b> | 25 x 30 mm spoon reflector, push-fit  |
|  | <b>107.319</b> | Sieve reflector Ø 2.6" (65 mm)  |
|  | <b>107.345</b> | Welding mirror 5.3" (135 mm), push-fit  |
|  | <b>158.474</b> | Protection nozzle 36.5 mm (1.44"), air outlet 23 mm (0.9"), protection ring 80 mm (3.15") |
|  | <b>107.007</b> | Ø 1.45" (37 mm) Dehorning nozzle  |
|  | <b>106.132</b> | 1.8 x 9.8" (45 x 250 mm) shell reflector, push-fit  |
|  | <b>145.580</b> | Heating element, 120 V / 1700 W   |

More at the new accessories catalog at

[www.leister.com/accessories](http://www.leister.com/accessories)

General accessories



**Leister Technologies AG**  
Galileo-Strasse 10  
CH-6056 Kaegiswil / Switzerland  
phone: +41 41 662 74 74  
fax: +41 41 662 74 16  
leister@leister.com

---

**Leister Technologies LLC**  
Itasca, IL 60143 / USA  
phone: +1 855 534 7837  
info.usa@leister.com

---

**Leister Technologies Ltd.**  
Shanghai 201 109 / PRC  
phone: +86 21 6442 2398  
leister@leister.cn

---

**Leister Technologies KK**  
Osaka 564-0051 / Japan  
phone: +81 6 6310 62 00  
sales-japan@leister.com

---

**Leister Technologies Benelux BV**  
3991 CE Houten / Nederland  
phone: +31 (0)30 2199888  
info@leister.nl

---

**Leister Technologies Italia s.r.l.**  
20090 Segrate / Italia  
phone: +39 02 2137647  
sales@leister.it

---

**Leister Technologies India Pvt**  
600 041 Chennai / India  
phone: +91 44 2454 3436  
info@leister.in

---

**Leister Technologies Deutschland GmbH**  
D-58093 Hagen / Germany  
phone: +49-(0)2331-95940  
info.de@leister.com

**We are local. Worldwide.**

**Our close worldwide network of more than 130 Sales and Service Centers in more than 100 countries.**

- |   |  |  |  |  |   |   |   |   |
|---|--|--|--|--|---|---|---|---|
| <b>Europe:</b><br>Andorra<br>Austria<br>Belgium<br>Cyprus<br>Denmark<br>Finland<br>France<br>Germany<br>Greece<br>Iceland<br>Ireland<br>Italy<br>Luxembourg<br>Malta<br>Monaco<br>Netherlands<br>Norway<br>Portugal<br>Liechtenstein<br>San Marino<br>Spain | Sweden<br>Switzerland<br>Turkey<br>United Kingdom<br>Vatican<br>Albania<br>Armenia<br>Azerbaijan<br>Belarus<br>Bosnia-Herzegovina<br>Bulgaria<br>Croatia<br>Czech Republic<br>Estonia<br>Georgia<br>Hungary<br>Kosovo<br>Latvia<br>Lithuania<br>Macedonia<br>Moldova<br>Montenegro | <b>Americas:</b><br>Canada<br>Mexico<br>USA<br>Belize<br>Costa Rica<br>El Salvador<br>Guatemala<br>Honduras<br>Nicaragua<br>Panama<br>Argentina<br>Bolivia<br>Brazil | Poland<br>Romania<br>Russia<br>Serbia<br>Slovakia<br>Slovenia<br>Ukraine | <b>Central Asia:</b><br>Kazakhstan<br>Kyrgyzstan<br>Tajikistan<br>Turkmenistan<br>Uzbekistan | Chile<br>Colombia<br>Ecuador<br>Peru<br>Venezuela | <b>Africa:</b><br>Algeria<br>Botswana<br>Egypt<br>Ivory Coast<br>Kenya<br>Lesotho<br>Libya<br>Malawi<br>Morocco<br>Mozambique<br>Namibia<br>North Sudan<br>South Africa<br>Swaziland<br>Tunisia<br>Zambia<br>Zimbabwe | <b>Asia Pacific:</b><br>Bangladesh<br>China<br>Hong Kong<br>India<br>Indonesia<br>Japan<br>Korea<br>Macao<br>Malaysia<br>Mongolia<br>Philippines<br>Singapore<br>Sri Lanka<br>Taiwan<br>Thailand<br>Vietnam | <b>Oceania:</b><br>Australia<br>New Zealand |
|---|--|--|--|--|---|---|---|---|

© Copyright by Leister, Switzerland

Distributor Addresses: